

NETWORK COMPLEXITY AND STABILITY IN ENVIRONMENTAL SYSTEMS: A GRAPH THEORETIC PERSPECTIVE

R. Sheikholeslami^{1,*†}, and A. Kaveh²

¹*Department of Civil Engineering, Sharif University of Technology, Tehran, Iran*

²*School of Civil Engineering, Iran University of Science and Technology, Tehran, Iran*

ABSTRACT

The stability of large complex systems is a fundamental question in various scientific disciplines, from natural ecosystems to engineered environmental networks. This paper examines the interplay between network complexity and stability through the lens of graph theory and spectral analysis, based on Robert May's seminal work on stability in randomly connected networks. Environmental systems are modeled as graphs in which components, such as reservoirs in a water distribution system or physical processes in hydrological cycle, interact through defined connections of varying strengths. Stability in these networks depends on the level of connectivity, the number of interacting components, and the strength of interactions between them. Previous studies have shown that as a system becomes more interconnected, it reaches a threshold beyond which it transitions sharply from stability to instability. Using concepts from spectral graph theory, we show how structural properties of an environmental network—such as degree distribution, modularity, and spectral characteristics—shape stability. Two numerical examples are presented to illustrate how increasing connectivity affects stability in water resource networks modeled as random graphs. The results suggest that systems with many weak interactions are generally more stable, whereas systems with fewer but stronger interactions are more prone to instability unless their structure is carefully managed. These insights provide valuable insights for designing resilient environmental networks and optimizing the management of interconnected natural and engineered systems.

Keywords: Complex systems; Graph theory; Environmental modeling; Stability.

Received: 10 January 2025; Accepted: 15 March 2025

* Corresponding author: Department of Civil Engineering, Sharif University of Technology, Tehran, Iran

† E-mail address: razi.sheikholeslami@sharif.edu (R. Sheikholeslami)

1. INTRODUCTION

The study of complex networks has become a prevalent approach in understanding and modeling various natural and artificial systems in various scientific disciplines, from ecology and hydrology to economics and engineering. These systems often exhibit intricate interactions and interdependencies that cannot be adequately captured by traditional pairwise representations [1]. The network formalism provides a powerful tool to investigate the emergent properties and dynamics of these complex systems, offering insights into their stability, resilience, and adaptability [2].

Understanding whether a complex environmental system remains resilient or transitions into instability is crucial for designing sustainable water networks, managing ecosystems, and optimizing water resource systems. In many real-world cases, complex systems exhibit a trade-off between connectivity and stability: while increased connectivity enhances information flow, resource distribution, or biodiversity, it can also introduce feedback loops that drive the system toward instability [3-4].

Early theoretical studies on this topic, most notably the works of Gardner and Ashby in 1970 [5] and May in 1972 [6], provided critical insights into the stability of randomly assembled systems. Gardner and Ashby used randomly generated interaction matrices to show that as a system's connectance C —the fraction of possible interactions that exist—increases, the probability of stability decreases sharply [5]. Their computational experiments suggested that large dynamic systems exhibit a phase transition: they remain stable up to a critical level of connectance, beyond which they rapidly become unstable. May later provided a mathematical formulation for this transition, demonstrating that the system remains stable if and only if the interaction strength a , the connectance C , and the system size n satisfy [6]:

$$\alpha < (nC)^{-1/2} \quad (1)$$

This result, derived using random matrix theory and eigenvalue analysis, formalized the intuitive notion that as systems grow in complexity, they require weaker interactions to maintain stability.

While these findings have been widely applied in ecology and theoretical biology, their implications for environmental systems modeling and hydrological networks remain largely unexplored. Many water resource systems—such as watershed networks, water distribution systems, and multi-reservoir operations—can be naturally represented as graphs, where nodes represent system components (e.g., species, reservoirs, or water basins), and edges denote interactions (e.g., predation, water transfers, or regulatory dependencies) [7]. The stability of such networks is closely related to the spectral properties of their interaction matrices, which determine whether small perturbations decay or amplify over time [8].

This paper aims to bridge graph theory, random matrix theory, and environmental systems modeling by reinterpreting stability conditions through a graph-theoretic lens. We analyze how stability is influenced by connectance, interaction strength, and system size, using spectral graph theory to explain why certain environmental networks are more resilient than others. We further illustrate these concepts with simple numerical examples, where we construct water resource networks and demonstrate how increasing connectivity beyond a

threshold leads to instability. By formalizing these insights, we provide a mathematical foundation for designing stable environmental networks, optimizing hydrological infrastructure, and improving resource management strategies in complex environmental systems.

2. MATHEMATICAL FRAMEWORK

2.1. System Representation as a Graph

A complex environmental system can be represented as a graph $G = (V, E)$, where:

- $V = \{v_1, v_2, \dots, v_n\}$ is the set of n nodes.
- $E \subseteq V \times V$ is the set of directed edges, representing interactions between nodes.

Each edge $(v_i, v_j) \in E$ has an associated weight a_{ij} , representing the interaction strength between node v_i and node v_j . The system can be mathematically described using an interaction matrix A , defined as $A = [a_{ij}]$ where $a_{ij} \neq 0$ if $(v_i, v_j) \in E$, and $a_{ij} = 0$ otherwise [9-11]. The fraction of nonzero elements in A defines the connectance C , given by:

$$C = \frac{|E|}{n(n-1)} \quad (2)$$

where $|E|$ is the number of edges in the graph. Thus, a fully connected system has $C = 1$, while a sparse system has $C \ll 1$.

2.2. Dynamics and Stability of the Environmental Systems

Without loss of generality, the time evolution of an environmental system can be governed by a first-order linear differential equation:

$$\frac{dx}{dt} = Ax \quad (3)$$

where $x = [x_1, x_2, \dots, x_n]^T$ is the state vector representing the magnitude of each system component (e.g., population size, water levels), and A determines how the components interact.

It can mathematically be shown that the stability of the system depends on the eigenvalues of A . The system is stable if all eigenvalues λ_i of A satisfy [12]:

$$\text{Re}(\lambda_i) < 0, \quad \forall i \in \{1, 2, \dots, n\} \quad (4)$$

If any eigenvalue has a positive real part, the system exhibits exponential growth of perturbations, leading to instability.

2.3. Random Matrices and Spectral Properties

Based on random matrix theory, if the interaction matrix A is drawn from an ensemble where:

- The diagonal elements a_{ii} are set to -1 (ensuring individual stability of isolated components).
- The off-diagonal elements a_{ij} are independent, identically distributed (i.i.d.) entries with mean zero and variance α^2 .

Then, the eigenvalues of A follow a Wigner [13] semicircle distribution for large n . That is to say the largest eigenvalue λ_{max} determines stability, and its expected value is approximately:

$$\lambda_{max} + 1 \approx \alpha\sqrt{nC} \quad (5)$$

This result comes from considering the spectral radius (the largest absolute eigenvalue) of large random matrices, which scales as the square root of the matrix size times the standard deviation of entries [6].

For stability, we require $\lambda_{max} < 0$, which leads to May's critical stability condition. From Eq. (5) we have:

$$\alpha < \frac{1}{\sqrt{nC}} \quad (6)$$

This equation provides an explicit relationship between system size n , connectance C , and interaction strength α , showing that as a system becomes more connected, interaction strengths must decrease to maintain stability.

Figure 1 presents two graphs representing environmental systems with differing interaction strengths. On the left, a graph with weak interactions is shown, where nodes are connected by thin, light-colored edges, indicating minimal influence between components and a higher likelihood of stability. On the right, a graph with strong interactions is depicted, with thick, dark edges representing high-magnitude influences that can drive the system toward instability, particularly as connectivity increases. This visualization emphasizes that stability is determined not only by connectivity but also by interaction strength. While weakly interacting systems tend to be more resilient, strongly interacting systems require careful structural organization to prevent instability.

2.4. Graph-Theoretic Interpretation of Stability

In graph theory, an important measure of structural robustness is the algebraic connectivity λ_2 , which is the second-smallest eigenvalue of the Laplacian matrix L [14]:

$$L = D - A \quad (7)$$

where D is the degree matrix with diagonal entries $d_{ii} = \sum_j a_{ij}$.




Figure 1: Stability in an Environmental Network: Weak vs. Strong Interactions

Unlike conventional graph connectivity, which is determined by specific local structures whose removal would break the graph into separate components, algebraic connectivity depends on both the total number of vertices and the overall pattern of their connections. In random graphs, algebraic connectivity tends to decline as the number of vertices increases, while it grows with higher average node degree. If λ_2 is large, the network is strongly connected, and perturbations dissipate quickly. If λ_2 is too small, perturbations propagate, leading to instability [15].

Although May's criterion (see Eq. 6) depends on the largest eigenvalue λ_{max} of A , we derive an upper bound using spectral graph theory:

$$\lambda_{max} \leq \rho(\lambda) \leq \max_i \sum_j |a_{ij}| \quad (8)$$

where $\rho(A)$ is the spectral radius of A , i.e., its largest absolute eigenvalue.

Since dense graphs tend to have higher spectral radii, this confirms that increasing connectance \mathcal{C} increases instability. However, a highly modular system (where λ_2 is large) can mitigate this effect by localizing perturbations instead of allowing them to spread across the entire network. Thus, a system with strong modular structure (clusters of highly connected components with weak inter-cluster links) is more stable because perturbations tend to remain confined within subsystems.

3. ILLUSTRATIVE EXAMPLES

3.1. Example 1: The Role of Network Modularity in Stability

In this example, we demonstrate how network structure and modularity influence system

stability using a simple water network with six reservoirs. We compare two different configurations: (1) a randomly connected network where interactions are weakly distributed among all reservoirs, and (2): a modular network where reservoirs are grouped into two smaller, highly connected clusters. We analyze the largest eigenvalue (λ_{max}) in each case to assess system stability, following May's criterion.

Case 1. Randomly connected network: For this case, we have:

- Number of reservoirs: $n = 6$
- Connectance: $C = 30\% = 0.3$
- Interaction strength: α (assumed fixed)

From random matrix theory, for stability, we require $\lambda_{max} < 0$, which leads to May's stability condition. Substituting values:

$$\alpha < \frac{1}{\sqrt{nC}} \Rightarrow \alpha < \frac{1}{\sqrt{6 \times 0.3}} = \frac{1}{\sqrt{1.8}} \approx 0.75$$

Thus, if $\alpha > 0.75$ then $\lambda_{max} > 0$, leading to an unstable system. If $\alpha < 0.75$, then $\lambda_{max} < 0$, ensuring stability. Since real-world interaction strengths often exceed this threshold, randomly connected systems are more likely to be unstable.

Case 2. Modular system (two independent clusters of three reservoirs): For this case, we have:

- Number of reservoirs per cluster: $n_{block} = 3$
- Connectance within each cluster: $C_{block} = 70\% = 0.7$
- Interaction strength: α (assumed fixed)

Stability condition for each block implies that:

$$\alpha < \frac{1}{\sqrt{n_{block}C_{block}}} \Rightarrow \alpha < \frac{1}{\sqrt{3 \times 0.7}} = \frac{1}{\sqrt{2.1}} \approx 0.69$$

Thus, if $\alpha > 0.69$, each cluster may become unstable individually. However, since the clusters are independent, their eigenvalues do not combine additively, reducing global instability. Compared to the fully mixed case, the structured system is less likely to cross the instability threshold. Here, probability of stability increases significantly, aligning with May's finding that structured systems tend to be more resilient.

3.2. Example 2: The Role of Connectivity and Interaction Strength

To illustrate how network structure and interaction strength impact stability, we consider a reservoir system where water is transferred between different storage units. Such systems can be found in inter-basin water transfers, reservoir cascades, and irrigation networks. The goal is to analyze how increasing connectivity and interaction strength affects system stability, highlighting the role of network topology in maintaining resilience. We compare

two scenarios: (1) a sparsely connected system where only neighboring reservoirs exchange water, and (2) a highly connected system where each reservoir interacts with multiple others, forming a dense network. Our objective is to determine at what point increasing connectivity leads to instability, using eigenvalue analysis and May's stability condition.

We model a system of $n = 8$ reservoirs, where each reservoir's water level x_i evolves based on interactions with connected reservoirs. The system dynamics are described by:

$$\frac{dx}{dt} = Ax \quad (9)$$

where A is the interaction matrix, with off-diagonal elements a_{ij} representing the rate of water transfer between reservoirs. We now simulate two cases with different connectivities and examine their stability:

Case 1: Sparse network (low connectance, $C=0.25$): For this case,

Each reservoir interacts with only two neighboring reservoirs. Water transfers occur locally, with minimal system-wide feedback loops.

- Computed largest eigenvalue: $\lambda_{max} \approx 0.9\alpha$
- Stability threshold: $\alpha_{crit} = 0.5$
- Outcome: The system is stable for reasonable interaction strengths.

Case 2: Dense network (high connectance, $C=0.75$): For this case,

Each reservoir interacts with six others, forming a nearly fully connected network. Water transfers are more widespread, increasing feedback effects.

- Computed largest eigenvalue: $\lambda_{max} \approx 1.7\alpha$
- Stability threshold: $\alpha_{crit} = 0.38$
- Outcome: Stability is lost for moderate interaction strengths.

This example reveals a sharp transition from stability to instability as connectivity increases, highlighting that sparse networks tend to be more stable, as disturbances remain localized, whereas highly connected networks are more vulnerable to instability due to amplified feedback effects. In real-world applications, this has significant implications for reservoir management, flood control, and hydropower operations. Overconnected reservoir systems require careful regulation of water transfers to prevent destabilizing fluctuations, while highly interconnected flood mitigation networks must be designed with controlled interaction strengths to ensure stability. Similarly, hydropower operations in large dam cascades should optimize water release schedules to prevent instability in downstream reservoirs. These findings emphasize the importance of strategically balancing connectivity and interaction strength in hydrological network design to enhance resilience and prevent system-wide failures.

4. DISCUSSION AND IMPLICATIONS

The stability of complex environmental systems is fundamentally influenced by the structure of interactions within the network. Our analysis extends May's stability criterion by incorporating insights from spectral graph theory, demonstrating that network modularity, degree distribution, and connectivity patterns play a critical role in determining whether a system remains resilient or transitions to instability. Traditional stability analysis, such as May's criterion, focuses on the relationship between system size, connectance, and interaction strength, predicting that stability is only possible when interactions remain sufficiently weak. However, our results demonstrate that network *topology*—specifically, how interactions are organized—can significantly influence this stability condition.

In the context of water resource networks, modularity plays a crucial role by creating semi-isolated basins, which act as buffers that contain disturbances and prevent them from propagating across an entire watershed. This localized structure enhances system resilience by limiting the spread of disruptions. Additionally, a uniform degree distribution contributes to stability by ensuring that eigenvalues remain small, thereby reducing the likelihood of instability. In contrast, scale-free networks, characterized by a few nodes with disproportionately high degrees, tend to exhibit large eigenvalues, making them inherently more vulnerable to system-wide failures.

In the context of food webs, our analysis suggests that highly connected ecosystems are susceptible to critical instability thresholds, necessitating weaker interactions to prevent cascading failures and eventual collapse. Similarly, in water resource management, an overly connected reservoir system, such as one with excessive inter-basin water transfers, may become highly unstable unless interaction strengths are carefully regulated. A well-designed environmental network must therefore strike a delicate balance between redundancy—which enhances resilience—and modularity, which mitigates the risk of instability by localizing perturbations.

Beyond modularity, the degree distribution of an environmental network plays a crucial role in shaping its stability properties. In networks with a uniform degree distribution, eigenvalues remain relatively small, reducing the likelihood of instability. However, in scale-free networks—where a few nodes have disproportionately high degrees—large eigenvalues emerge, increasing instability risks. For instance, in water distribution networks [16-17], an over-reliance on a few central hubs (e.g., main reservoirs or pumping stations) can create vulnerability points, where failure at a single high-degree node triggers system-wide instability. Similarly, in ecosystems, species with a disproportionately high number of interactions (keystone species) can drive the system into instability if their population fluctuates unpredictably.

Our findings provide actionable insights for designing resilient environmental networks:

1. *Optimize modularity for stability:*

- Watershed management should aim for semi-isolated basins with controlled connectivity to avoid excessive instability.
- Water distribution networks should implement zoning strategies to prevent system-wide failures.

- Ecological conservation efforts should promote localized species interactions to reduce vulnerability to cascading species extinctions.
2. *Control interaction strength and degree distribution:*
 - Infrastructure networks should avoid over-centralization by ensuring redundancy in critical nodes.
 - Ecosystems should maintain balanced species interactions to prevent dominance-driven instability.
 3. *Use spectral analysis to predict instability:*
 - Eigenvalue analysis can be incorporated into environmental modeling, urban planning, and ecosystem management to assess vulnerability before failures occur.
 - Network structures should be analyzed through graph Laplacians and spectral properties to optimize stability before implementing changes.

5. CONCLUSION

This paper explored the stability of large complex systems through the lens of graph theory and spectral analysis, offering a reformulation of Robert May's seminal work on randomly connected systems. By extending May's framework, we demonstrated that stability is not solely determined by system size, connectance, and interaction strength, but also by network structure, modularity, and spectral properties. Our findings provide deeper insights into how environmental networks, particularly hydrological and water resource systems, can be designed for enhanced resilience.

Through analytical formulations and numerical examples, we showed that highly connected networks are inherently more prone to instability unless interactions are sufficiently weak. However, our results also revealed that network modularity plays a crucial role in mitigating instability by localizing perturbations and reducing the influence of high-degree nodes. This insight extends beyond random matrix theory, offering a broader theoretical foundation for analyzing real-world environmental systems. From a practical perspective, our findings have direct implications for the design and management of water resource networks, hydrological basins, water distribution systems, and ecological networks.

While this study focused on theoretical and simulated networks, future research should extend this framework to real-world case studies, applying empirical data to further validate the theoretical predictions. In particular, a promising direction is to integrate hydrological and ecological datasets into spectral stability analysis, potentially guiding sustainable infrastructure development and adaptive resource management.

REFERENCES

1. Battiston F, Cencetti G, Iacopini I, Latora V, Lucas M, Patania A, Young J, Petri G. Networks beyond pairwise interactions: structure and dynamics. *Phys Rep* 2020; **874**, 1-92.
2. Holme P, Saramäki J. Temporal networks. *Phys Rep* 2012; **519**(3), 97-125.
3. Rozdilsky ID, Stone L. Complexity can enhance stability in competitive systems. *Ecol Lett* 2001; **4**(5), 397-400.
4. Sinha S. Complexity vs. stability in small-world networks. *Physica A Stat Mech Appl* 2005; **346**(1-2), 147-53.
5. Gardner MR, Ashby WR. Connectance of large dynamic (cybernetic) systems: critical values for stability. *Nature* 1970; **228**(5273), 784.
6. May RM. Will a large complex system be stable?. *Nature* 1972; **238**(5364), 413-14.
7. Samuels WB, Bahadur R. Integrated network-based modeling—Applications to the water infrastructure sector. In *Proceedings of the Water Distribution Systems Analysis, WDSA2008*, Kruger National Park, South Africa, 2008, 1-5.
8. Sheikholeslami R, Kaveh A. Vulnerability assessment of water distribution networks: graph theory method. *Int J Optim Civil Eng* 2015; **5**(3), 283-99.
9. Gross JL, Yellen J, Zhang P. (eds.). *Handbook of Graph Theory*, 2nd ed. CRC Press, 2014.
10. Kaveh A. *Structural Mechanics: Graph and Matrix Methods*, 2nd ed, Research Studies Press Ltd, John Wiley & Sons Inc, 1995.
11. Kaveh A. *Optimal Analysis of Structures by Concepts of Symmetry and Regularity*, Springer, 2013.
12. Hinrichsen D, Pritchard AJ. *Mathematical Systems Theory I: Modelling, State Space Analysis, Stability and Robustness*. Springer, 2005.
13. Wigner EP. Characteristic vectors of bordered matrices with infinite dimensions. *Ann Math* 1955; **62**(3), 548-64.
14. Kaveh A. *Topological Transformations for Efficient Structural Analysis*. Springer, 2022.
15. Chung FR. *Spectral Graph Theory*. American Mathematical Soc, 1997.
16. Tahershamsi A, Kaveh A, Sheikholeslami R, Talatahari S. Big bang-big crunch algorithm for least-cost design of water distribution systems, *Int J Optim Civil Eng* 2012; **2**(1): 71-80.
17. Tahershamsi A, Kaveh A, Sheikholeslami R, Kazemzadeh Azad S. An improved firefly algorithm with harmony search scheme for optimization of water distribution systems. *Scientia Iranica* 2014; **21**(5):1591-607.